



Shandong XSY Bearing Co., Ltd.



NU1024MA Bearing 2D drawings and 3D CAD models

4.724 Inch | 120 Millimeter x 7.087 Inch | 180 Millimeter x 1.102 Inch | 28 Millimeter TIMKEN NU1024MA Cylindrical Roller Bearings

Bearing No. NU1024MA

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	2.495
EAN	0053893751962
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	120MM Bore; Straight Bore Profile; 180MM Outside Diameter; 28MM Width;



Shandong XSY Bearing Co., Ltd.

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Int
Category	Cylindrical Roller Bearings
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	NU1024MA
Weight / LBS	5.5
d	4.724 Inch 120 Millimeter
D	7.087 Inch 180 Millimeter
B	1.102 Inch 28 Millimeter
Design Units	METRIC
Bearing Weight	2.50 Kg
Type	NU
Tapered Bore	N
d - Bore	120 mm
D - Outer Diameter	180 mm
C - Inner Ring Width	28 mm
B - Outer Ring Width	28 mm
C0 - Static Radial Rating	202000 N
C - Dynamic Radial Rating ¹	158000 N
Reference Thermal Speed Rating (Grease)	2900
Reference Thermal Speed Rating (Oil) ²	3600
Cg - Geometry Factor ³	0.0939
R - Inner Ring To Clear Radius ⁴	1.0 mm
r - Outer Ring To Clear Radius ⁵	2.0 mm



Shandong XSY Bearing Co., Ltd.

da - Inner Ring Backing Diameter	131.000 mm
Da - Outer Ring Backing Diameter	0.000 mm